



*World Leaders*

IN PRESSURE SEAL



*The **NEW***

AS1200

**PRESSURE SEALER**

# AS1200




## *Pressure Sealing and Document Inserting*

The AS1200 is a combination of Pressure Sealing with the added advantage of document inserting and perimeter sealing which protects the inserted document. A variety of inserts can be processed including reply envelopes, customer information or advertisements. These are placed in up to 2 feed stations and inserted at the point of fold with the prime document.

Cycling at a maximum 13,000 filled forms per hour, the AS1200 is designed not only to reduce costs but also to guarantee fast and efficient mail processing, total product security and confidentiality.

Designed with a 30 job programme memory, the AS1200 is flexible and easy to use, offering a cost-effective solution to a wide range of mailing tasks.




*Documents to be inserted are placed in the feed stations and can be continually loaded while processing.*

## *It's so easy!*



*The large LCD display guides you through operating the machine - quickly and simply.*



*The main screen displays the current status of the machine.*



*Then simply choose a job from the list, and you're ready to go!*



*If the machine stops, the display will show you why - and what to do next.*



*Emergency stop button for operator safety.*



*Single form processing to assist the operator and avoid loss of any documents.*

*Where a prompt response is required, a pre-paid return envelope can be enclosed.*



*Perimeter sealing which protects the content and the form.*



*Easy access for setting perimeter seal to the form size.*

***The Complete Solution - Maximising Revenue Potential***

PFE have the in-house skill to design forms specifically to meet customers' requirements thus maximising savings and enhancing the professionalism of your organisation. The AS1200 allows the placement of "in the hand" advertisements. These inserts work more effectively for the advertiser as they are attractive and offer maximum space to convey their message.

Here are just a few examples:

- REDEMPTION COUPONS
- MEMBERSHIP & LOYALTY CARDS
- PROMOTIONAL MAILINGS
- DIRECT DEBIT MANDATES
- BUSINESS REPLY ENVELOPES
- INCENTIVE VOUCHERS
- BROCHURES
- INFORMATION LEAFLETS & MAPS
- GAME CARDS




# The **NEW** AS1200 PRESSURE SEALER



## Optional High Capacity Sheet Feeder

PFE's high-capacity sheet feeder can hold up to 4,000 sheets of paper, ranging from 80-140 gsm. It is fitted with extractable, mobile paper hoppers, which can be easily changed or re-loaded in a matter of seconds. Fast and efficient machine loading is simple and ensures that production levels are maintained at an optimum at all times.



1195 Burster capable of 2 up form processing up to 18"

### Options

- High Capacity Sheet Feeder (Over 4,000 forms)
- PFE Guillotines & Bursters - For continuous 2 up forms in-line processing (slit and merge).
- Directional out-feed conveyor
- Out-feed conveyor with date stamp

### Specifications

Primary Form sizes:	Depths - max. 16" min. 7" Widths - max. 9 1/2" min. 4 1/4"
Insert Size: <small>(dependant on form size)</small>	Depths - 2 1/2" to 4" Widths - 4" to 7 1/2"
Paper Weights:	80gsm to 140gsm
Form Folds:	All folds including 'Z', 'C' and 'V'
Form Security:	Double document detection
Machine Size: <small>(stand alone)</small>	L - 1920mm x W - 650mm x H - 1060mm
Machine Size: <small>(with hi-cap feeder)</small>	L - 2450 mm x W - 650mm x H - 1060mm
Weight: <small>(stand alone)</small>	260 kg

### Speed

Sealing only	13,000 forms/hour maximum (A4)
Inserting	10,500 forms/hour maximum (A4)
Burster slit merge (with insert)	10,500 forms/hour maximum (A4)

#### PFE PRODUCT RANGE

**Mailing Machines**  
Desktop Mailing Systems  
Office Mailing Systems  
Modular Mailing Systems  
Mail Printing Systems

• **Pressure Sealers**

• **Forms Handling Machines**

• **Office Products**



## World Leaders

IN PRESSURE SEAL

PFE International Limited, Oakwood Hill  
Industrial Estate, Oakwood Hill  
Loughton Essex IG10 3TZ  
Internet Address: [www.pfe.co.uk](http://www.pfe.co.uk)  
E-Mail: [marketing@pfe.co.uk](mailto:marketing@pfe.co.uk)  
Tel: 020 8502 1011  
Fax: 020 8502 4187

Subsidiary Companies in USA, France, Germany, Portugal, Belgium, Eire and Singapore. Sales Offices throughout the UK.  
PFE's policy is one of continuous improvement, and the right is reserved to modify or alter equipment specifications, without prior notice.

